# Introducing dynamics

Semantics II

April 2 & 4, 2018

1

Famously, indefinites can antecede pronouns they don't (can't) scope over:1

- 1. {A, \*Every} linguist<sub>i</sub> walked in the park. She<sub>i</sub> whistled.
- 2. If  $\{a, *every\}$  man<sub>i</sub> is from Omaha, he<sub>i</sub> isn't from Lincoln.

If indefinites are quantifiers, this behavior is puzzling.

Alternative: indefinites *aren't* quantifiers, but fuzzy analogs of singular terms. A proper name refers to a concrete entity, and an indefinite "refers" to a fuzzy entity.

<sup>1</sup>Geach (1962), Lewis (1975), Karttunen (1976), Heim (1982, 1983), many more.

# An LF dramatizing the challenge



## Another possibility?



The analysis on the last slide moves an indefinite out of a coordinate structure, perhaps even to a position of *discourse-level scope*! Why can't *all* quantifiers do this? Is this just another sign that indefinites have super-duper scope properties?

What does this predict about cases like the following? Is the meaning acceptable?

3. Exactly one linguist<sub>i</sub> walked in the park. She<sub>i</sub> whistled. ••• ex1.ling  $(\lambda x. witp x \land whistled x)$  The analysis on the last slide moves an indefinite out of a coordinate structure, perhaps even to a position of *discourse-level scope*! Why can't *all* quantifiers do this? Is this just another sign that indefinites have super-duper scope properties?

What does this predict about cases like the following? Is the meaning acceptable?

3. Exactly one linguist<sub>i</sub> walked in the park. She<sub>i</sub> whistled. ••• ex1.ling  $(\lambda x. witp x \land whistled x)$ 

It is not. Unlike the sentence, the derived meaning is consistent with many linguists walking in the park, so long as just one of those people whistled.

## On donkeys

Furthermore, it does not seem that the scoping solution can account for *donkey anaphora*, cases where there is exceptional anaphora to an indefinite that cannot be accounted for simply by scoping the indefinite all the way up:

- 4. If a man<sub>i</sub> is from Omaha, he<sub>i</sub>'s from Nebraska.
- 5. Every person with a son<sub>i</sub> teaches him<sub>i</sub> to drive.

These sentences have salient binding readings that keep the indefinite within the scope of *if* and *every*. So simply QRing the indefinite seems insufficient.

On the other hand, we might consider *decomposing if* into negation and conjunction, and then allowing indefinites (but nothing else) to take scope in the middle of  $if^{2}$ .

```
\neg (\exists x \in \mathsf{man} : \mathsf{fromo} x \land \neg \mathsf{fromn} x)
```

<sup>2</sup> See Barker & Shan (2008) for this strategy.

File change semantics

A discourse is a file (cabinet?): a set of file cards, each of them about some *discourse referent* (dref), with information about that dref.

Declarative discourse involves (at least) taking a file cabinet with a bunch of existing information about various drefs, and adding information to it, with different kinds of expressions associated with different kinds of updates:

- Indefinites: introduce a new file card
- Definites (including pronouns): update an old file card

## An example

Repeating our example from the first slide:

6. A linguist<sub>1</sub> t<sub>1</sub> walked in the park. She<sub>1</sub> whistled.

Let's informally walk through how the file cabinet gets updated as we process this:

- We meet an indefinite with index 1. Introduce a new file card for 1.
- We meet a trace with index 1. Update the card for 1: 1 walked in the park.
- We meet a pronoun with index 1. Update the card for 1: 1 whistled.

What is a file? It's associated with some numbers (its domain), and some conditions those numbers have to satisfy.

With a wee shift in perspective, we can think of a file as a set of assignments:

```
\{g \mid \text{ling } g_1, \text{witp } g_1, \text{whistled } g_1\}
```

To hew closely to Heim (1982, 1983), we will think of these as *partial* assignments (strictly speaking, this is not necessary).

# An illustration<sup>3</sup>



<sup>3</sup> Note that I'm writing  $F \cup (n, a)$ ' to mean  $F \cup \{(n, a)\}$ '.

#### Recalling a simple dynamic system

A dynamic semantics for  $\varphi := Atom | \varphi \land \varphi | \neg \varphi$ :

$$s[p] = \{w \in s : wp\}$$
$$s[\phi \land \psi] = s[\phi][\psi]$$
$$s[\neg \phi] = s \land s[\phi]$$

(Thus, for example,  $[p] = \lambda s. \{w \in s : wp\}$ .)

Conjunction amounts to function composition:

 $[\phi \land \psi] = \lambda s. [\psi] ([\phi] s)$  $= [\psi] \circ [\phi]$  $= [\phi] ; [\psi]$ 

## Updating our language

We'll make our language a simple first-order one, in the usual way:

Atom ::= 
$$Rx_1 \dots x_n$$
  $\varphi$  ::= Atom  $|\varphi \land \varphi| \neg \varphi | \exists$ 

This language has a standard model  $(\llbracket \cdot \rrbracket, D, G)$ :  $\llbracket \cdot \rrbracket$  associates *n*-ary predicates *R* with relations (sets of tuples):  $\llbracket R \rrbracket^g \subseteq D_1 \times \cdots \times D_n$  (where  $g \in G$ ).

$$s[Rx_1...x_n] = \{g \in s \mid ([x_1]]^g, ..., [x_n]^g) \in [R]^g$$
$$s[\phi \land \psi] = s[\phi][\psi]$$
$$s[\exists^i] = \{g \cup (i,x) \mid g \in s, x \in D\}$$

The dynamic existential quantifier  $\exists^i expands$  the incoming assignment functions, effectively introducing a new file card.

#### Illustration

Suppose our domain has 3 individuals,  $D = \{a, b, c\}$ , and that a and c are French, and only a is a linguist. Then we may observe the following succession of updates:<sup>4</sup>



<sup>4</sup>E.g.,  $[1 \rightarrow \mathbf{a}]$  is the very partial assignment  $\{(1, \mathbf{a})\}$  that maps 1 to  $\mathbf{a}$ , and does nothing else.

## What if *i* isn't novel?

Suppose *i* isn't novel in the input state *s*. What happens if we try to re-introduce *i*?

$$\{[1 \rightarrow \mathbf{a}]\}$$

$$\exists^{1} \land x_{1} = \mathbf{b}$$

$$\{[1 \rightarrow \mathbf{a}, 1 \rightarrow \mathbf{b}]\}$$

The result here is a state that contains a single assignment. However, this assignment does not know what to do with the index 1! It is no longer an assignment function, but an assignment *relation*.

Thus, if we tried to continue with, say, **french**  $x_1$ , the result would not be defined:

$$\llbracket x_1 \rrbracket^{[1 \to \mathbf{a}, 1 \to \mathbf{b}]} = \llbracket 1 \to \mathbf{a}, 1 \to \mathbf{b} \rrbracket_1$$
$$= ???$$

### Implementing novelty

So what should we do? One option is simply to presuppose novelty in  $s[\exists^i]$ :

$$s[\exists^{i}] = \begin{cases} \{g \cup (i, x) \mid g \in s, x \in D\} \text{ if } i \notin \text{Dom } s \\ \text{undefined} & \text{otherwise} \end{cases}$$

Where Doms is the indices that are already assigned values in s:

 $\mathsf{Dom}\,s = \{i \mid g \in s, (i, \_) \in g\}$ 

On the other hand, it is not actually clear that we need to hard-wire this constraint. We could just say that if we don't choose our indices carefully, we might end up in a state that can't value certain variables. Maybe this is enough.<sup>5</sup>

<sup>5</sup> The system of Heim (1982, 1983) actually *does* need to hard-wire novelty into the system, because of certain technical choices: specifically, Heim uses total assignment functions, and then keeps track separately of which variables are "active" in *s*. Heim implements novelty as a constraint on *LFs*.

# True dynamicity

A system is *irreducibly* dynamic (i.e., not a reformulation of a static/intersective system) when it has updates which are non-distributive, or non-eliminative.<sup>6</sup>



Our dynamic system has non-eliminative updates. Why?

<sup>6</sup>van Benthem (1989), Groenendijk & Stokhof (1991), Rothschild & Yalcin (2015), Charlow (2016).

## True dynamicity

A system is *irreducibly* dynamic (i.e., not a reformulation of a static/intersective system) when it has updates which are non-distributive, or non-eliminative.<sup>6</sup>



Our dynamic system *has non-eliminative updates*. Why? In general,  $s[\exists^i]$  is not a subset of *s*, since the *g*'s in *s* can be *modified* in the output.

On the other hand, the system is distributive since none of our updates ever needs to see the entire incoming state *s*. Notice in particular:

$$s[Rx_1 \dots x_n] = \left\{ g \in s \mid ([x_1]^g, \dots, [x_n]^g) \in [R]^g \right\}$$
  
$$s[\exists^i] = \left\{ g \cup (i, x) \mid g \in s, x \in D \right\}$$

<sup>6</sup> van Benthem (1989), Groenendijk & Stokhof (1991), Rothschild & Yalcin (2015), Charlow (2016).

## On negation

We observe the following properties:

- 7. Mary doesn't own a car<sub>i</sub>. \*It<sub>i</sub>'s parked outside.
- 8. Everyone who owns a car<sub>i</sub> washes it<sub>i</sub>. \*It<sub>i</sub>'s parked outside.

This tells us something important about the function of negation. Negation *wipes out* any drefs/binding information generated in its scope. The parallel behavior of universals means we should consider defining them in terms of negation.

Here is the entry for negation from our propositional language:

$$s[\neg \varphi] = s - s[\varphi]$$

Will this work for us?

## On negation

We observe the following properties:

- 7. Mary doesn't own a car<sub>i</sub>. \*It<sub>i</sub>'s parked outside.
- 8. Everyone who owns a car<sub>i</sub> washes it<sub>i</sub>. \*It<sub>i</sub>'s parked outside.

This tells us something important about the function of negation. Negation *wipes out* any drefs/binding information generated in its scope. The parallel behavior of universals means we should consider defining them in terms of negation.

Here is the entry for negation from our propositional language:

$$s[\neg \varphi] = s - s[\varphi]$$

Will this work for us? No, precisely because  $\phi$  might be non-eliminative, e.g.,  $\exists^{i}$ .

# An entry for negation

Intuitively,  $\neg \varphi$  should toss out all the assignments in the input state that lead to a successful update with  $\varphi$ . But because the system is non-eliminative, success cannot be identified with "support".<sup>7</sup>

On the other hand, the following notion will do:

$$s[\neg \phi] = \{g \in s \mid \underbrace{\{g\}[\phi] = \emptyset}\}$$

updating  $\{g\}$  with  $\phi$  fails, *not*  $\{g\}$  doesn't support  $\phi$ 

An important feature of this semantics is that, even if  $\phi$  expands the domain to include new discourse referents, the assignments returned by  $\neg \phi$  are only ever ones drawn from the input state *s*. Any new binding info in  $\phi$  is discarded.

<sup>7</sup> State *s* supports  $\phi$  iff  $s[\phi] = s$ .

#### Illustrating negation

Suppose our domain has 3 individuals,  $D = \{a, b, c\}$ , and that **a** and **c** are French, and only **a** is a linguist. Then we may observe the following updates:



#### Donkeys

We can treat the conditional operator was an abbreviation in the usual way:

$$s[\phi \rightsquigarrow \psi] = s[\neg(\phi \land \neg \psi)]$$
$$= \{g \in s \mid \{g\}[\phi \land \neg \psi] = \emptyset\}$$

This correctly allows binding in *if someone*, 's Omahan, they, 're Nebraskan:

$$s[(\exists^{1} \land \mathbf{o} x_{1}) \rightsquigarrow \mathbf{n} x_{1}] = s[\neg((\exists^{1} \land \mathbf{o} x_{1}) \land \neg \mathbf{n} x_{1})]$$

$$= \{g \in s \mid \{g\}[(\exists^{1} \land \mathbf{o} x_{1}) \land \neg \mathbf{n} x_{1}] = \emptyset\}$$

$$= \{g \in s \mid \{g\}[\exists^{1}][\mathbf{o} x_{1}][\neg \mathbf{n} x_{1}] = \emptyset\}$$

$$= \{g \in s \mid \neg(\exists x \in \mathbf{o} : \neg \mathbf{n} x)\}$$

$$= \{g \in s \mid \forall x \in \mathbf{o} : \mathbf{n} x\}$$

If we can find any Omahans who aren't Nebraskan, there will be no g's left over (the update fails). If all Omahans are Nebraskan, we'll just get back s. So binding succeeds, but the binding info contributed by  $\exists^1$  does not outlast the conditional.

#### Universals

We can make exactly the same move for universal quantifiers:

```
\mathbf{s}[\forall^{i}(\phi,\psi)] = \mathbf{s}[\neg(\exists^{i} \land \phi \land \neg \psi)]
```

As with the conditional, the fact that conjunction is dynamic guarantees that *n* will be "active" when both  $\phi$  and  $\psi$  are interpreted!

For conditionals/universals, we predict something generally known as the "strong" reading: *if someone's Omahan, they're Nebraskan* means *every* Omahan is Nebraskan. *Every farmer who owns a donkey beats it* means every farmer beats *every* donkey s/he owns. But "weak" readings are often observed:<sup>8</sup>

- 9. If I have a quarter<sub>i</sub>, I'll throw it in the parking meter.
- 10. Every farmer who owns a donkey, will ride it, to town tomorrow.

<sup>8</sup>E.g., Schubert & Pelletier (1989), Kanazawa (1994), Chierchia (1995), Brasoveanu (2007), many more.

# Dekker (1994)

The system of Predicate Logic with Anaphora is closely related to the version of File Change Semantics that we have given here.

PLA treats conversational states as sets of *sequences of individuals*. Supposing our domain has 3 individuals,  $D = \{a, b, c\}$ , and that **a** and **c** are French:



- Barker, Chris & Chung-chieh Shan. 2008. Donkey anaphora is in-scope binding. *Semantics and Pragmatics* 1(1). 1–46. https://doi.org/10.3765/sp.1.1.
- van Benthem, Johan. 1989. Semantic parallels in natural language and computation. *Logic Colloquium '87*. 331-375. https://doi.org/10.1016/S0049-237X(08)70133-2.
- Brasoveanu, Adrian. 2007. Structured nominal and modal reference. Rutgers University Ph.D. thesis. http://semanticsarchive.net/Archive/TFjZGZjN/.
- Charlow, Simon. 2016. Post-suppositions and semantic theory. Unpublished ms. http://ling.auf.net/lingbuzz/003243.
- Chierchia, Gennaro. 1995. The dynamics of meaning: Anaphora, presupposition and the theory of grammar. Chicago: University of Chicago Press. https://doi.org/10.7208/chicago/9780226104515.001.0001.
- Dekker, Paul. 1994. Predicate logic with anaphora. In Mandy Harvey & Lynn Santelmann (eds.), Proceedings of Semantics and Linguistic Theory 4, 79–95. Ithaca, NY: Cornell University. https://doi.org/10.3765/salt.v4i0.2459.
- Geach, Peter. 1962. Reference and Generality. Ithaca, NY: Cornell University Press.
- Groenendijk, Jeroen & Martin Stokhof. 1991. Two theories of dynamic semantics. In Jan van Eijck (ed.), Logics in Al: European Workshop JELIA '90 Amsterdam, The Netherlands, September 10–14, 1990 Proceedings, 55–64. Berlin, Heidelberg: Springer Berlin Heidelberg. https://doi.org/10.1007/BFb0018433.

Heim, Irene. 1982. The semantics of definite and indefinite noun phrases. University of Massachusetts, Amherst Ph.D. thesis. http://semanticsarchive.net/Archive/Tk0ZmYyY/.

- Heim, Irene. 1983. File change semantics and the familiarity theory of definiteness. In Rainer Bäuerle, Christoph Schwarze & Arnim von Stechow (eds.), *Meaning, use and interpretation of language*, 164–190. Berlin: Walter de Gruyter. https://doi.org/10.1515/9783110852820.164.
- Kanazawa, Makoto. 1994. Weak vs. strong readings of donkey sentences and monotonicity inference in a dynamic setting. *Linguistics and Philosophy* 17(2). 109–158. https://doi.org/10.1007/BF00984775.
- Karttunen, Lauri. 1976. Discourse referents. In James D. McCawley (ed.), Syntax and Semantics, volume 7: Notes from the Linguistic Underground, 363-385. New York: Academic Press.
- Lewis, David. 1975. Adverbs of quantification. In Edward L. Keenan (ed.), *Formal Semantics of Natural Language*, 3-15. Cambridge: Cambridge University Press. https://doi.org/10.1017/cbo9780511897696.003.
- Rothschild, Daniel & Seth Yalcin. 2015. On the dynamics of conversation. *Noûs* 51(1). 24-48. https://doi.org/10.1111/nous.12121.
- Schubert, Lenhart K. & Francis Jeffry Pelletier. 1989. Generically speaking. In Barbara H. Partee, Gennaro Chierchia & Raymond Turner (eds.), Properties, types and meaning, volume ii: semantic issues, 193–268. Dordrecht: Kluwer Academic Publishers.